

# 18V Impact Wrench BL LXT

## DTW285RMJ

Model DTW285 is a cordless impact wrench with reverse rotation auto stop mode powered by 18V Li-ion battery and developed based on the model DTW281.

Suitable for Scaffolding Applications



### TECHNICAL SPECIFICATIONS

Nut Busting Torque	400 Nm
Battery Type	Lithium-ion
Voltage	18 v
Battery quantity (4.0Ah)	2
Driving Shank	1/2" Square
Blows per Minute (Hi) - ipm	0 - 3500 ipm
Blows per Minute (Med) - ipm	0 - 2600 ipm
Blows per Minute (Lo) - ipm	0 - 1800 ipm
Standard Bolt	M10-M20
High Tensile Bolt	M10-M16
Noise sound pressure	96 dB(A)
Noise sound power	107 dB(A)
Noise K factor	3 dB(A)
No Load Speed (hard/med/soft)	0-2800 / 2100 / 1600 rpm
Max Fastening Torque	280 Nm
Vibration: Fastening Bolt	11.5 m/sec <sup>2</sup>
Vibration K factor	1.5 m/sec <sup>2</sup>

### USER BENEFITS

- Electric brake
- Variable speed control by trigger
- Forward / reverse rotation
- LED job light
- Brushless motor
- Compact design with overall length of 147mm
- Phosphorescent bumper
- Ergonomic soft grip
- Equipped with Battery protection circuit: designed to protect the battery from damages due to overdischarge, high temperature or overload current.
- Battery fuel gauge
- Reverse rotation auto stop mode: This mode works only with pulling the trigger fully in counter-clockwise rotation. When the bolt/nut gets loosened enough, the tool stops the impact and rotation in 0.2 seconds.

Link to product - [www.makita.com](http://www.makita.com)



# RELATED PRODUCTS

(Recon

## STANDARD ACCESSORIES

**821550-0**

MAKPAC CONNECTOR CASE (TYPE



**837670-0**

INNER TRAY



**DC18RC**

DC18RC COMPACT CHARGER



## OTHER