



# GARDEN TRACTORS & ZERO TURNS



2020

# WELCOME TO THE PREMIUM MOWER EXPERIENCE.



When you are looking for a lawn tractor or zero turn mower, there are many manufacturers from which to choose. But if you focus on what's important - dependability, quality of cut and having the best looking lawn in the neighbourhood - your decision will be easy... Simplicity®.



## CONTENTS

The Dealer Experience	04
The Simplicity® Difference	05
Regent™ Lawn Tractors	06
Broadmoor™ Lawn Tractor	12
Conquest™ Lawn Tractor	14
Regent™ RD Lawn Tractors	16
Courier™ Zero Turns	20
Tractor Specifications	28
Zero Turn Specifications	30
Tractor Accessories	32
Zero Turn Accessories	35



## THE DEALER EXPERIENCE



## MAKING THE RIGHT DECISION.

Not sure what type of mower you need? Your Simplicity® dealer can help. Need someone to deliver your tractor or zero turn? Your Simplicity dealer will deliver it to your home. Need a little training on how to use your new mower? Your Simplicity dealer can show you what you need to know. Most importantly, by purchasing a Simplicity through your local dealer, you will not only be getting a premium mowing experience, but your own trusted mowing advisor.

- Expert advice
- Product selection help
- Test drives
- Trustworthy service technicians
- Parts availability
- Product pick-up and delivery
- Seasonal maintenance
- Accepts Trade-Ins\*
- Attachment expertise



\*Participating dealers may vary.

# THE SIMPLICITY® DIFFERENCE

Simplicity® Tractors and Zero Turn mowers are built to last with durable components - all-steel hoods and seat decks, long-life engines, transmissions and serviceable arbor and shaft assemblies. Designed with the operator in mind, Simplicity Mowers offer ergonomic, easy-to-use controls and innovative features to make your mowing experience even more enjoyable.



## LAWN STRIPING

Our Free Floating™ mower deck is the pinnacle of performance which all others attempt to achieve. Attached by the pivoting front axle, the mowing deck follows even the slightest contours in your lawn, resulting in a scalp-free velvety cut. The full-width rear rollers lay the grass down in the direction the mower is traveling to create striping patterns.



## SUPERIOR TRACTION WITH ACT™

Automatic Controlled Traction™ will supply extra power to both rear tyres when one tyre starts to slip. The ACT™ feature helps you avoid getting stuck and keeps you moving forward when performing jobs in your garden.



## CENTRE CUT™ MOWER DECK

The CentreCut™ mower deck offers options to change the mower deck configuration depending on grass circumstances and personal preferences. Available on Regent™ SLT275 and Courier™ SZT275.

## **CENTRE CUT™** Convertible Rear Discharge Deck



## HYDROSTATIC TRANSMISSION

All Simplicity lawn tractors feature a pedal-operated hydrostatic transmission system that allows you to keep both hands on the steering wheel while adjusting your speed and direction with the two foot pedals.



## SUSPENSION SYSTEM™

Taking your mowing comfort to the next level, Simplicity® owners can enjoy a smoother ride with suspension while still achieving a premium cut\*\*.



This exclusive tractor technology utilises front and rear springs to reduce the impact of rough terrain felt by the operator. Depending on the tractor model, there are two suspension options available:

- Rear Suspension (on Regent™ SLT260)
- Front and Rear Suspension (on Regent™ RD SRD360, Courier™ SZT250, SZT275 and SZT350)

## SUSPENSION COMFORT SYSTEM™

The Conquest™ and Broadmoor™ Lawn Tractors offer a complete comfort package - the Suspension Comfort System™ - comprised of suspension, a high-speed transmission and a comfortable mesh seat.



\*\*Results of suspension depend on lawn conditions.

# REGENT™ LAWN TRACTORS



SLT110

The recently updated Regent™ Lawn Tractor range has been extended with the new SLT275 model. All models deliver excellent all round cutting performance with the highest level of user comfort and signature Simplicity® styling.

These Regent™ lawn tractors are powered by reliable Briggs & Stratton® engines and feature integrated bumpers and a stylish dashboard panel. Rugged mower decks and durable cast-iron front axles ensure long life and performance.

## NEW FOR 2020: SLT275



**FRAME HUNG MOWER DECK**  
With 4 deck support wheels and a washout port for easy cleaning.



**STEEL BUMPER & LED LIGHTS**  
The steel bumper adds extra durability to the lawn tractor while the powerful LED headlights light your path.



**DURABLE FRONT AXLE**  
Rugged, pivoting cast iron front axle for long lifetime.



**STEERING WHEEL**  
With colour-coded controls on the dashboard.

DESIGNED TO **PERFORM.**  
MADE TO LAST.

## QUICK SPECIFICATIONS

	REGENT™ SLT110	REGENT™ SLT210SE
<b>Power</b>		
Engine Model	Briggs & Stratton Intek™ Series 7200 V-Twin	Briggs & Stratton Intek™ Series 7220 V-Twin
Engine Features	OHV	OHV
Cylinders	2	2
<b>Transmission</b>		
Type	Tuff-Torq® K46 Hydrostatic	Tuff-Torq® K46 Hydrostatic
<b>Mower</b>		
Cutting Width	107 cm (42")	117 cm (46")
Mower Deck Type	Stamped Steel, Frame Hung	Stamped Steel, Frame Hung
	<i>New for 2020</i>	<i>Mid-back, premium seat</i>



## KEY FEATURES SLT110 / SLT210SE

- Frame Hung mower deck with 4 support wheels
- Hydrostatic transmission
- Cast iron front axle
- Tight turning radius of 36cm
- LED headlights
- Electric blade engagement
- Colour-coded controls
- Manual height of cut
- Integrated steel bumper
- Cruise control
- Mower deck washout port



### BRIGGS & STRATTON® ENGINE

The Briggs & Stratton Intek™ engines provide consistent starting and guarantees durable performance.

For all accessories see page 32.

# REGENT™ LAWN TRACTORS

FOLLOW  
THE LEADER.



The stand out feature of the Regent™ SLT260 is its comfort enhancing rear suspension. This suspension system not only delivers great levels of user comfort but also allows increased mowing productivity.

User convenience is further enhanced by the Quick-Hitch™ system, which allows quick, tool-less removal of the mower deck.



### BRIGGS & STRATTON® ENGINE

Designed to deliver world-class endurance and power, the Briggs & Stratton Professional Series™ Engine comes fully featured. Enhanced power, easy starting, smooth and quiet operation, and professional results are just a few of them.

## WITH REAR SUSPENSION



**FREE FLOATING™ MOWER DECK**  
Simplicity's signature Free Floating™ mower deck allows the deck to follow the contours of your lawn giving a scalp-free cut. The full-width rear rollers provide a smooth finish allowing you to create stripes.



**ELECTRIC HEIGHT OF CUT**  
Easily adjust the cutting height with the simple touch of a switch. The electric height of cut lets you choose from 3,8 to 10,2 cm.



**QUICK HITCH™ DECK REMOVAL**  
Easily remove the mower deck without tools. Remove the deck for cleaning or blade sharpening, or use it to mount an attachment.



**REAR SUSPENSION**  
The SLT260 features unique rear suspension which makes you mow faster and keeps the ride comfortable.



**LIMITED LIFETIME WARRANTY**  
ON FABRICATED DECK

See operator's manual or dealer for complete warranty details.



## QUICK SPECIFICATIONS

### REGENT™ SLT260

#### Power

Engine Model	Briggs & Stratton Professional Series™ 8230 V-Twin
Engine Features	OHV
Cylinders	2

#### Transmission

Type	Tuff-Torq® K46 Hydrostatic
------	----------------------------

#### Mower

Cutting Width	122cm (48")
Mower Deck Type	Fabricated Steel, Free Floating™
Suspension	Rear Suspension

New for 2020 Mid-back, premium seat



## KEY FEATURES SLT260

- Durable fabricated 122 cm steel Free Floating™ mower deck and full-width rear rollers
- Rear suspension
- Hydrostatic transmission
- Cast iron front axle
- Tight turning radius of 36cm
- Electric blade engagement
- Electric height of cut
- Quick Hitch™ mower deck removal system
- Cruise control
- Clock, hour and maintenance meter
- Premium, mid-back seat

For all accessories see page 32.

# REGENT™ LAWN TRACTORS



New for the 2020 season, the new Regent SLT275™ offers the ultimate in user comfort and cutting flexibility. The convertible rear discharge deck delivers maximum versatility. It is easy to convert the mower deck into 3 different cutting modes (depending on the grass conditions). Choose from mulching, full rear discharge and 50:50 mulching/rear discharge modes.

## CENTRECUT™

Convertible Rear Discharge Deck

FOR MORE INFORMATION ON THE CENTRECUT™ SYSTEM SEE PAGE 24.



**CENTRECUT™ MOWER DECK**  
The 122 cm rugged fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.



**HIGH COMFORT SEAT**  
The adjustable, mid-back, premium seat provides ride comfort and stability.



See operator's manual or dealer for complete warranty details.

# MASTER THE CONTOURS OF YOUR LAWN.



## QUICK SPECIFICATIONS

### REGENT™ SLT275

#### Power

Engine Model	Briggs & Stratton Professional Series™ 8230 V-Twin
Engine Features	OHV
Cylinders	2

#### Transmission

Type	TuffTorq® K46 Hydrostatic
------	---------------------------

#### Mower

Cutting Width	122cm (48")
Mower Deck Type	CentreCut™ Fabricated Steel, Frame Hung



#### BRIGGS & STRATTON® ENGINE

Designed to deliver world-class endurance and power, the Briggs & Stratton Professional Series™ Engine comes fully featured. Enhanced power, easy starting, smooth and quiet operation, and professional results are just a few of them.

## KEY FEATURES

- Durable fabricated 122 cm steel Frame Hung mower deck with 4 support wheels
- Convertible rear eject CentreCut™ mower deck
- Hydrostatic transmission
- Cast iron front axle
- Tight turning radius of 36cm
- Mid-back premium seat
- Electric blade engagement
- Manual height of cut
- Cruise control
- Clock, hour and maintenance meter
- Mower deck washout port

For all accessories see page 33.

\* Eliminator® is a registered trademark of Fisher Barton.

# BROADMOOR™ LAWN TRACTOR

RUGGED  
DURABILITY.  
EXCEPTIONAL  
PERFORMANCE.



The all new Broadmoor™ lawn tractor represents the perfect combination of high-performance and user comfort. With the unique Free Floating™ fabricated steel mower deck, a new rear suspension system and a breathable ergonomic mesh seat, mowing the lawn will never feel like a chore again.




See operator's manual or dealer for complete warranty details.

## WITH ELECTRIC POWER STEERING




**HIGH SPEED TRANSMISSION**  
The Tuff Torq® high speed transmission offers a hydrostatic drive for an automotive-like feel and allows you to operate the machine at higher speeds.



**CONTROL PANEL**  
The panel includes push button starting, fuel gauge and maintenance reminders providing a premium experience.



**ACT™**  
With Automatic Controlled Traction™ (ACT), drive power is continuously supplied to both rear tyres maintaining superior traction and lessening turf damage.



**FABRICATED MOWER DECK**  
The 122 cm rugged fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.

# QUICK SPECIFICATIONS

## BROADMOOR™ SYT410

Power	
Engine Model	Briggs & Stratton Professional Series™ 8260 V-Twin with push button start
Engine Features	OHV, EFM
Cylinders	2
Transmission	
Type	Tuff-Torq® K62 High Speed Hydrostatic with ACT™
Mower	
Cutting Width	122cm (48")
Mower Deck Type	Fabricated Steel, Free Floating™, Full-width rear rollers
Suspension	SCS™ Rear Suspension with Mesh Seat



### BRIGGS & STRATTON® ENGINE

The Briggs & Stratton Professional Series™ V-Twin engine features Electronic Fuel Management (EFM) providing consistent, automotive-style starting and proven performance.



**ELECTRONIC FUEL MANAGEMENT**  
STARTING MADE SIMPLE.

## KEY FEATURES SYT410

- Free Floating™ mower deck with full-width rear rollers
- Automatic Controlled Traction™
- Durable welded steel frame
- Electric power steering
- Cast-iron pivoting front axle
- Turning radius of 59cm
- Quick Hitch™ mower deck removal system
- Electric height-of-cut adjustment
- LED headlights
- Cruise control
- Ergonomic mesh seat

**WITH REAR SUSPENSION**



The exclusive rear Suspension Comfort System™ reduces the impact felt at faster speeds.

For all accessories see page 33.

# CONQUEST™ LAWN TRACTOR

## ENGINEERED FOR MAXIMUM PERFORMANCE.

The Simplicity Conquest™ combines all the latest innovation and comfort features, plus the power and performance of the Briggs & Stratton Commercial Turf Series™ V-Twin engine. The full instrumentation dash board enhances the operator's perfect mowing experience.

### WITH ELECTRIC POWER STEERING




#### HIGH SPEED TRANSMISSION

The Tuff Torq® high speed transmission offers a hydrostatic drive for an automotive-like feel and allows you to operate the machine at higher speeds. The exclusive Suspension Comfort System™ provides stability and driving comfort, even at high speeds.



#### ACT™

With Automatic Controlled Traction™ (ACT) and Differential Lock, drive power is continuously supplied to both rear tyres maintaining superior traction and lessening turf damage.



#### DELUXE INSTRUMENT PANEL

An intuitive dash system which includes a deluxe instrument panel complete with push button start, fuel gauge and maintenance reminders provides the operator an optimum mowing experience.



#### SCS SYSTEM

The exclusive Suspension Comfort System™, complete with rear shock absorbers, provides 25% less impact felt than a tractor without suspension, giving you more comfort at a consistent speed. Results of suspension depend on lawn conditions.



## QUICK SPECIFICATIONS

### CONQUEST™ SYT510

#### Power

Engine Model	Briggs & Stratton Commercial Turf Series™ 8270 V-Twin with push button start
Engine Features	OHV, EFM, Cyclonic Air Filter
Cylinders	2

#### Transmission

Type	Tuff-Torq® K66 High Speed Hydrostatic with ACT™
------	---

#### Mower

Cutting Width	127 cm (50")
Mower Deck Type	Stamped Steel, Free Floating™, Full-width rear rollers
Suspension	SCS™ Rear Suspension with Mesh Seat



#### BRIGGS & STRATTON® ENGINE

The premium Briggs & Stratton Commercial Turf Series™ V-Twin engine features an Integrated Cyclonic Air Filter, Oil Filter and Pressure Lubrication.

## KEY FEATURES SYT510

- Automatic Controlled Traction™
- Differential lock provides increased traction
- Durable Tuff-Torq® high speed transmission
- Free Floating™ mower deck and full-width rear rollers
- Intuitive dashboard - full instrumentation
- SCS™ Rear Suspension with Mesh Seat
- Full power steering
- Electric mower deck-lift system
- Quick Hitch™ deck removal system
- Electric height-of-cut
- LED headlights
- Electric power steering



**ELECTRONIC FUEL MANAGEMENT**  
STARTING MADE SIMPLE.

**WITH PUSH BUTTON START**

For all accessories see page 34.

www.simplicitymfg.eu

# REGENT™ RD LAWN TRACTORS

BRING PREMIUM  
PERFORMANCE  
TO YOUR LAWN.



SRD210

Upgraded in 2019, the Simplicity® rear discharge range has set new standards for efficiency and comfort. The range consists of three models all equipped with a Tuff-Torq® hydrostatic transmission system delivering the smoothest ride. A new, high comfort seat adds extra comfort to the cutting experience.

All powered by high performance Briggs & Stratton® engines, the stylish hood and dashboard panel provides the operator a premium mowing experience.



**HIGH COMFORT SEAT**  
The adjustable, mid-back, premium seat provides ride comfort and stability.



**STYLISH CONTROL PANEL**  
The dashboard contains a fuel and hour meter. The maintenance reminder makes this machine interactive.



**HEIGHT-OF-CUT**  
The manual height-of-cut allows for easy adjustment between 7 possible positions ranging from 4.5 to 9.0cm.



**MOWER BLADES**  
Simplicity® blades produce high-volume air flow that mulches, bags or discharges clippings to perfection.





SRD310

## QUICK SPECIFICATIONS

### REGENT™ RD SRD210

#### Power

Engine Model	Briggs & Stratton Intek™ Series 7220 V-Twin
Engine Features	OHV
Cylinders	2

#### Transmission

Type	Tuff-Torq® K46 Hydrostatic
------	----------------------------

#### Mower

Cutting Width	96 cm (38")
Mower Deck Type	Stamped Steel, Frame Hung
<i>New for 2020</i> Mid-back, premium seat	

### REGENT™ RD SRD310

Engine Model	Briggs & Stratton Professional Series™ 8270 V-Twin
Engine Features	OHV
Cylinders	2

Type	Tuff-Torq® K46 Hydrostatic
------	----------------------------

Cutting Width	107cm (42")
Mower Deck Type	Stamped Steel, Frame Hung
<i>Mid-back, premium seat</i>	

## KEY FEATURES SRD210 / SRD310

- Frame Hung mower deck with support wheels
- Hydrostatic transmission
- 36cm turning radius
- Large 350 litre collection bag
- Cast iron front axle
- Easily removable all-steel hood
- 11 litre fuel tank
- Cruise control
- Electric blade engagement
- Mechanical deck attachment lift
- LED headlights
- Integrated steel bumper
- Washout port



#### BRIGGS & STRATTON® ENGINE

The Briggs & Stratton Intek™ engine provides consistent starting and guarantees durable performance.

## REGENT™ RD LAWN TRACTORS



The Regent™ RD 360 combines all the latest innovation and comfort features to bring the next level of outstanding performance. Experience new levels of user comfort with the exclusive Suspension System™ and high comfort seat.



**SPEED CONTROL**  
Infinite driving speed control. Change your speed quickly and easily.



**STYLISH CONTROL PANEL**  
This deluxe panel shows you the needs of your machine. The dash contains a fuel meter and hourmeter. The maintenance reminder makes this machine interactive.



**HIGH COMFORT SEAT**  
The adjustable, mid-back, premium seat provides ride comfort and stability.



**STEEL BUMPER & LED LIGHTS**  
The steel bumper adds extra durability to the lawn tractor while the powerful LED headlights light your path.

# QUICK SPECIFICATIONS

## REGENT™ RD SRD360

### Power

Engine Model	Briggs & Stratton Professional Series™ 8270 V-Twin
Engine Features	OHV
Cylinders	2

### Transmission

Type	Tuff-Torq® K46 Hydrostatic
------	----------------------------

### Mower

Cutting Width	107 cm (42")
Mower Deck Type	Stamped Steel, Frame Hung
Suspension	Front and Rear Suspension
New for 2020	Mid-back, premium seat

## KEY FEATURES SRD360

- Frame hung mower deck with 4 support wheels
- Hydrostatic transmission
- Large 350 litre collection bag
- Cast iron front axle
- Cruise control
- Large 22" tyres
- Electric blade engagement
- 11 litre fuel tank
- Front wheel ball bearing
- Premium, mid-back seat
- LED headlights
- Integrated steel bumper
- Suspension System™



### BRIGGS & STRATTON® ENGINE

The Briggs & Stratton Professional Series™ 8270 engine features an oil filter and pressure lubrication.



### SUSPENSION SYSTEM™

The exclusive Suspension System™, complete with front and rear shock absorbers, provides 25% less impact felt than a tractor without suspension, giving you more comfort at a consistent speed\*.



**WITH FRONT AND REAR SUSPENSION**



For all accessories see page 34.

\* Results of suspension depend on lawn conditions.

# COURIER™ ZERO TURNS




Brand new for the 2020 season the SZT105 brings a whole new level of performance to the comprehensive Courier™ zero turn range. Designed for maximum garden access, this compact zero turn mower gets to places other zero turns cannot go. It's compact size makes it easy to navigate even the tightest parts of your lawn and takes up less space when in storage.



See operator's manual or dealer for complete warranty details.

## NEW FOR 2020: SZT105


**NEW STUDIO PICTURES NEEDED**




**COMFORTABLE SEAT**  
Mid-back seat with armrests for more comfort while mowing.



**USER COMFORT GUARANTEED**  
A compact zero turn with high levels of comfort. A big seat and lot's of legroom.



**COMPACT DESIGN**  
The high quality 91 cm compact mower deck is the smallest in it's class and delivers unparalleled garden access.



**FABRICATED MOWER DECK**  
The fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.



COMPACT  
& EASY TO  
NAVIGATE

## QUICK SPECIFICATIONS

### COURIER™ SZT105

#### Power

Engine Model	Briggs & Stratton Intek™ Series 7200 V-Twin
Engine Features	OHV
Cylinders	2

#### Transmission

Type	Hydro-Gear® EZT®
------	------------------

#### Mower

Cutting Width	91 cm (36")
Mower Deck Type	Fabricated Steel, Frame Hung



**BRIGGS & STRATTON® ENGINE**  
The Briggs & Stratton Intek™ engines provide consistent starting and guarantees durable performance.

## KEY FEATURES SZT105

- Fabricated steel mower deck
- Hydrostatic transmission
- Powerful Briggs & Stratton engine
- 11 litre fuel tank
- Foot operated mower deck lift
- Comfortable mid-back seat with armrests
- Twin-lever steering controls with tracking adjustment for comfortable operation
- Cargo bed\* optional
- Electric blade engagement
- Integrated parking brake

For all accessories see page 35.

\* 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.

INSERT STUDIO  
PICTURES HERE?

FROM BEHIND?

# COURIER™ ZERO TURNS

## EXCELLENT CUTTING COMFORT & UTILITY.



The Courier™ 100 Series zero turns are the perfect choice for the serious home owner. With a 107 cm or 117 cm stamped steel deck these zero turn mowers will cut your lawn beautifully. To top it off you will also save time and effort with the optional cargo bed\*. All Courier™ zero turns are now equipped with a super comfortable seat with armrests.



**STEERING LEVER TRACKING ADJUSTMENT**  
Adjusting the steering levers so that your zero turn tracks straight.



**COMFORTABLE SEAT**  
Mid-back seat with armrests for more comfort while mowing.



**REMOVABLE FLOOR PLATE**  
Quick and easy access to deck maintenance points are guaranteed with the removable floor plate.



**HEIGHT-OF-CUT POSITIONS**  
Easily choose your preferred cutting height with help of the foot operated deck lift mechanism.



## QUICK SPECIFICATIONS

COURIER™ SZT110		COURIER™ SZT150	
<b>Power</b>			
Engine Model	Briggs & Stratton Intek™ Series 7200 V-Twin	Briggs & Stratton Intek™ Series 7220 V-Twin	
Engine Features	OHV	OHV	
Cylinders	2	2	
<b>Transmission</b>			
Type	Hydro-Gear® EZT®	Hydro-Gear® EZT®	
<b>Mower</b>			
Cutting Width	107 cm (42")	117 cm (46")	
Mower Deck Type	Stamped Steel, Frame Hung	Stamped Steel, Frame Hung	



### BRIGGS & STRATTON® ENGINE

The Briggs & Stratton V-Twin engines provide durable and proven performance.



## KEY FEATURES SZT110 / SZT150

- Stamped steel mower decks
- Hydrostatic transmission
- Powerful Briggs & Stratton Intek™ engines
- Foot operated mower deck lift
- Hydro-Gear® EZT® transmission
- Comfortable mid-back seat with armrests
- Twin-lever steering controls with tracking adjustment for comfortable operation
- 11 litre fuel tank
- Optional cargo bed\*
- Electric blade engagement
- Integrated parking brake

For all accessories see page 35.

\* 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.

# COURIER™ ZERO TURNS

THE ZERO TURN  
THAT DOES  
SO MUCH  
MORE!



Along with the exclusive Suspension System™ and commercially-inspired features such as fabricated steel mower decks, pivoting front axles with shocks and a convertible rear discharge deck with Eliminator® blades (SZT275 only), the Courier™ 200 Series also brings new levels of utility to the lawn through an integrated rear cargo bed\*\*. Having both front and rear suspension on the 200 Series ensures a very comfortable ride and increased mowing speed.



## WITH FRONT AND REAR SUSPENSION

## QUICK SPECIFICATIONS

COURIER™ SZT250		COURIER™ SZT275	
<b>Power</b>			
Engine Model	Briggs & Stratton Professional™ Series 8270 V-Twin	Briggs & Stratton Professional™ Series 8270 V-Twin	
Engine Features	OHV	OHV	
Cylinders	2	2	
<b>Transmission</b>			
Type	Hydro-Gear® EZT®	Hydro-Gear® EZT®	
<b>Mower</b>			
Cutting Width	122 cm (48")	122 cm (48")	
Mower Deck Type	Fabricated Steel, Frame Hung	CentreCut™ Fabricated Steel, Frame Hung	
Suspension	Front and Rear	Front and Rear	
New for 2020	Premium, mid-back seat	Premium, mid-back seat	



**BRIGGS & STRATTON® ENGINE**  
The Briggs & Stratton Professional Series™ 8270 engine features an oil filter and pressure lubrication.



The CentreCut™ mower deck offers options to change the mower deck configuration depending on grass circumstances. This heavy duty fabricated steel mower deck is standard equipped with Eliminator®\* mulching blades, providing superior cutting performance and more versatility. In all cutting modes, the rear discharge deck provides trimming edges on both sides of the deck preventing from clippings being blown into flowerbeds or pavement.

## CENTRE CUT™

Convertible Rear Discharge Deck



**FOR LONG GRASS / FIRST CUT**  
Use the rear discharge mower deck configuration.

**INCLUDED**



**FOR NORMAL GRASS CONDITIONS / ONGOING CUTS**  
Use the rear discharge mower deck configuration with the half-height mulching baffle.

**INCLUDED**



**FOR SUPERIOR MULCHING PERFORMANCE**  
Use the rear discharge mower deck configuration with full-height mulching baffle. The full-height mulching baffle can be ordered separately.

**OPTIONAL**

## KEY FEATURES SZT250 / SZT275

- Front and rear suspension
- Centered rear rollers on SZT250
- CentreCut™ rear discharge deck with Eliminator®\* blades and half height mulch baffle on SZT275
- Briggs & Stratton engines with 11 litre fuel tanks
- Foot operated mower deck lift
- Premium mid-back seat with armrests
- Twin-lever steering controls with tracking adjustment
- Cargo bed\*\* included
- Electric blade engagement
- Integrated parking brake
- Large 20" rear tyres

**LIMITED LIFETIME WARRANTY**  
ON FABRICATED DECK

See operator's manual or dealer for complete warranty details.

For all accessories see page 35.

\* Eliminator® is a registered trademark of Fisher Barton.  
\*\* 22,7 kg. capacity, do not overload; do not carry passengers.  
See operator's manual for details.

## COURIER™ ZERO TURNS

# PROFESSIONAL INSPIRATION FOR PREMIUM PERFORMANCE.



More than just a zero turn mower with a great quality cut, the integrated cargo bed\* along with other great features makes the Courier™ SZT350 a versatile workhorse in a category of its own.

### WITH FRONT AND REAR SUSPENSION



#### CARGO BED\*

On-the-go versatility and convenience for working in the garden.



#### FRONT AND REAR SUSPENSION

Having both front and rear suspension ensures a very comfortable ride and increased mowing speed.



#### FABRICATED MOWER DECK

The 132 cm rugged fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.



#### PROFESSIONAL TRANSMISSION

Hydro-Gear® ZT-2800® Transaxles providing tough and smooth operation.



LIMITED LIFETIME WARRANTY ON FABRICATED DECK



## QUICK SPECIFICATIONS

### COURIER™ SZT350

#### Power

Engine Model	Briggs & Stratton Professional Series™ 8270 V-Twin
Engine Features	OHV
Cylinders	2

#### Transmission

Type	Hydro-Gear® ZF2800®
------	---------------------

#### Mower

Cutting Width	132 cm (52")
Mower Deck Type	Fabricated Steel, Frame Hung
Suspension	Front and Rear
New for 2020	Premium, mid-back seat



**BRIGGS & STRATTON® ENGINE**  
The Briggs & Stratton Professional Series™ 8270 engine features an oil filter and pressure lubrication.

## KEY FEATURES SZT350

- Fabricated steel mower deck
- Front and rear suspension
- Centered rear rollers
- Hydrostatic transmission
- Powerful Briggs & Stratton engines
- 11 litre fuel tank
- Foot operated mower deck lift
- Premium mid-back seat with armrests
- Twin-lever steering controls with tracking adjustment for comfortable operation
- Cargo bed\* included
- Electric blade engagement
- Integrated parking brake
- Large 20" rear tyres



For all accessories see page 35.

\* 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.

# SPECIFICATIONS TRACTORS

TRACTOR	REGENT™ SLT110	REGENT™ SLT210SE	REGENT™ SLT260	REGENT™ SLT275 REAR DISCHARGE
<b>Power</b>				
Engine	Briggs & Stratton Intek™ Series 7200 V-Twin OHV	Briggs & Stratton Intek™ Series 7220 V-Twin OHV	Briggs & Stratton Professional Series™ 8230 V-Twin OHV	Briggs & Stratton Professional Series™ 8230 V-Twin OHV
Cylinders	2	2	2	2
Starting	Electric, Key Start	Electric, Key Start	Electric, Key Start	Electric, Key Start
Fuel Capacity (litre)	15	15	15	15
<b>Transmission</b>				
Brand	Tuff-Torq® K46	Tuff-Torq® K46	Tuff-Torq® K46	Tuff-Torq® K46
Type	Hydro	Hydro	Hydro	Hydro
Speed Fwd. (km/h)	0 - 7,7	0 - 6,9	0 - 8,2	0 - 8,2
Speed Rev. (km/h)	0 - 5,2	0 - 4,4	0 - 5,4	0 - 5,4
ACT™	-	-	-	-
<b>Chassis</b>				
Frame	Steel	Steel	Steel	Steel
Front Axle	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Front Tyres (inch)	15 x 6	15 x 6	15 x 6	15 x 6
Rear Tyres (inch)	20 x 8	22 x 10	22 x 9,5	22 x 9,5
Turning Radius (cm)	36	36	36	36
Power Steering	-	-	-	-
Seat	Mid-Back, Adjustable	Premium Mid-Back, Adjustable	Premium Mid-Back, Adjustable	Premium Mid-Back, Adjustable
Suspension	-	-	Rear	-
<b>Mower</b>				
Cutting Width	42" (107cm)	46" (117cm)	48" (122cm)	48" (122cm)
Mower Deck	Frame Hung	Frame Hung	Free Floating™	Frame Hung, Rear Eject
Mower Deck Type	Stamped Steel	Stamped Steel	Fabricated Steel	Fabricated Steel
Mower Deck Lift	Mechanical	Mechanical	Mechanical	Mechanical
Blade Engagement	Electric	Electric	Electric	Electric
Support Wheels/Rear Rollers	4 Support Wheels	4 Support Wheels	Full-Width Striping	4 Support Wheels
Mower Deck Removal	Frame Mounted	Frame Mounted	Quick Hitch™	Quick Hitch™
Blades	2	3	3	3
Cutting Height (cm)	3,8 - 10,2	3,8 - 10,2	3,8 - 10,2	3,8 - 10,2
Cutting Height Positions	7 / Manual	7 / Manual	Infinite / Electric	7 / Manual
Collector Capacity (l)	-	-	-	-
Washout Port	Standard	Standard	Standard	Standard
<b>Dimensions</b>				
Length x Width* x Height (cm)	185 x 134 x 111	185 x 149 x 117	185 x 150 x 117	???
Wheel Base (cm)	125	125	125	???
Weight (kg)	211	223	250	???
<b>Features</b>				
Headlights	Standard (LED)	Standard (LED)	Standard (LED)	Standard (LED)
Cruise Control	Yes	Yes	Yes	Yes
Hour Meter	-	Yes	Yes	Yes
Maintenance Monitor	-	-	Yes	Yes
Fuel Gauge	Sight gauge in seat deck	Sight gauge in seat deck	Sight gauge in seat deck	Sight gauge in seat deck
Mulch Kit/Plug	-	-	-	-
Warranty**	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited

\* Measured with deflector down.

\*\* Applies to residential use only. See operator's manual for complete warranty details ([www.simplicitymfg.eu](http://www.simplicitymfg.eu)).

# THE POWER TO PERFORM.

<b>BROADMOOR™ SYT410</b>	<b>CONQUEST™ SYT510</b>	<b>REGENT™ RD SRD210</b>	<b>REGENT™ RD SRD310</b>	<b>REGENT™ RD SRD360</b>
Briggs & Stratton Professional Series™ 8260 V-Twin OHV, EFM 2 Electric, Push Button Start 16	Briggs & Stratton Commercial Turf Series™ 8270 V-Twin OHV, EFM 2 Electric, Push Button Start 16	Briggs & Stratton Intek™ Series 7220 V-Twin OHV 2 Electric, Key Start 11	Briggs & Stratton Professional Series™ 8270 V-Twin OHV 2 Electric, Key Start 11	Briggs & Stratton Professional Series™ 8270 V-Twin OHV 2 Electric, Key Start 11
Tuff-Torq® K62 High Speed Hydro with ACT™  Yes	Tuff-Torq® K66 High Speed Hydro with ACT™  Yes + Differential Lock	Tuff-Torq® K46 Hydro 0 - 7,7 0 - 4,5 -	Tuff-Torq® K46 Hydro 0 - 7,7 0 - 4,5 -	Tuff-Torq® K46 Hydro 0 - 7,7 0 - 4,5 -
Steel Cast Iron 16 x 6,5 22 x 10 59 Electric High-Back Mesh, Adjustable SCS™ - Rear	Steel Cast Iron 16 x 6,5 23 x 10,5 59 Electric High-Back Mesh, Adjustable SCS™ - Rear	Steel Cast Iron 15 x 6 22 x 10 36 - Premium Mid-Back, Adjustable -	Steel Cast Iron 15 x 6 22 x 9,5 36 - Premium Mid-Back, Adjustable -	Steel Cast Iron 15 x 6 22 x 9,5 36 - Premium Mid-Back, Adjustable Front and Rear
48" (122cm) Free Floating™ Fabricated Steel Mechanical Electric Full-Width Rollers Quick Hitch™ 3 ???	50" (127cm) Free Floating™ Stamped Steel Electric Electric Full-Width Rollers Quick Hitch™ 3 ???	38" (96cm) Frame Hung Stamped Steel Mechanical Electric 2 Support Wheels Frame Mounted 2 4,5 - 9,0	42" (107cm) Frame Hung Stamped Steel Mechanical Electric 4 Support Wheels Frame Mounted 2 4,5 - 9,0	42" (107cm) Frame Hung Stamped Steel Mechanical Electric 4 Support Wheels Frame Mounted 2 4,5 - 9,0
Infinite / Electric - Standard	Infinite / Electric - Standard	7 / Manual 350 Standard	7 / Manual 350 Standard	7 / Manual 350 Standard
???	???	260 x 102 x 121	260 x 114 x 123	260 x 114 x 123
???	???	125	125	125
???	???	276	291	291
Standard (LED) Yes Yes Yes Yes, electronic in dash - 3-Year Limited	Standard (LED) Yes Yes Yes Yes, electronic in dash - 3-Year Limited	Standard (LED) Yes Yes - Yes, electronic in dash Included 3-Year Limited	Standard (LED) Yes Yes - Yes, electronic in dash Included 3-Year Limited	Standard (LED) Yes Yes - Yes, electronic in dash Included 3-Year Limited

# SPECIFICATIONS ZERO TURNS

ZERO TURN	COURIER™ SZT105	COURIER™ SZT110	COURIER™ SZT150
<b>Power</b>			
Engine	Briggs & Stratton Intek™ Series 7200 V-Twin OHV	Briggs & Stratton Intek™ Series 7200 V-Twin OHV	Briggs & Stratton Intek™ Series 7220 V-Twin OHV
Cylinders	2	2	2
Starting	Electric, Key Start	Electric, Key Start	Electric, Key Start
Fuel Capacity (litre)	11	11	11
<b>Transmission</b>			
Brand	Hydro-Gear® EZT®	Hydro-Gear® EZT®	Hydro-Gear® EZT®
Speed Fwd. (km/h)	0 - ??	0 - 9,0	0 - 9,0
Speed Rev. (km/h)	0 - ??	0 - 4,0	0 - 4,0
<b>Chassis</b>			
Frame	Steel	Steel	Steel
Front Axle	Steel Fixed	Steel Fixed	Steel Fixed
Tyres Front/Rear (inch)	11 x 4 / 18 x 6,5	11 x 6 / 18 x 8,5	11 x 6 / 18 x 8,5
Turning Radius (cm)	0	0	0
Seat	Mid-Back, Adjustable with Armrests	Mid-Back, Adjustable with Armrests	Mid-Back, Adjustable with Armrests
Suspension	-	-	-
<b>Mower</b>			
Cutting Width	36" (91cm)	42" (107cm)	46" (117cm)
Mower Deck	Frame Hung	Frame Hung	Frame Hung
Mower Configuration	Side Discharge	Side Discharge	Side Discharge
Mower Deck Type	Fabricated Steel	Stamped Steel	Stamped Steel
Deck / Attachment Lift	Mechanical	Mechanical	Mechanical
Blade Engagement	Electric	Electric	Electric
Rear Rollers	-	-	-
Mower Deck Removal	Frame Mounted	Frame Mounted	Frame Mounted
Blades	2	2	3
Cutting Height (cm)	????	4,2 - 9,6	3,8 - 11,0
Cutting Height Positions	10 / Manual	10 / Manual	13 / Manual
Washout Port	Standard	Standard	Standard
<b>Dimensions</b>			
Length x Width* x Height (cm)	??? x ??? x ???	187 x 134 x 101	187 x 149 x 101
Wheel Base (cm)	???	112	112
Weight (kg)	???	238	231
<b>Features</b>			
Cargo Bed**	Optional	Optional	Optional
Deck Support Wheels	-	2	2
Hourmeter	Yes	Yes	Yes
Fuel Gauge	-	-	-
Mulch Kit/Plug	-	-	-
Warranty***	3-Year Limited	3-Year Limited	3-Year Limited

\* Measured with deflector down.

\*\* 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.

\*\*\* Applies to residential use only. See operator's manual for complete warranty details ([www.simplicitymfg.eu](http://www.simplicitymfg.eu)).

# THE POWER TO PERFORM.

<b>COURIER™ SZT250</b>	<b>COURIER™ SZT275</b>	<b>COURIER™ SZT350</b>	<b>ZERO TURN</b>
Briggs & Stratton Professional Series™ 8270 V-Twin OHV 2 Electric, Key Start 11	Briggs & Stratton Professional Series™ 8270 V-Twin OHV 2 Electric, Key Start 11	Briggs & Stratton Professional Series™ 8270 V-Twin OHV 2 Electric, Key Start 11	<b>Power</b> Engine  Cylinders Starting Fuel Capacity (litre)
Hydro-Gear® EZT® 0 - 11,0 0 - 4,0	Hydro-Gear® EZT® 0 - 11,0 0 - 4,0	Hydro-Gear® ZT-2800® 0 - 12,0 0 - 4,0	<b>Transmission</b> Brand  Speed Fwd. (km/h) Speed Rev. (km/h)
Steel Steel Pivoting 11 x 6 / 20 x 10 0 Premium Mid-Back, Adjustable with Armrests Front and Rear	Steel Steel Pivoting 11 x 6 / 20 x 10 0 Premium Mid-Back, Adjustable with Armrests Front and Rear	Steel Steel Pivoting 11 x 6 / 20 x 10 0 Premium Mid-Back, Adjustable with Armrests Front and Rear	<b>Chassis</b> Frame Front Axle Tyres Front/Rear (inch) Turning Radius (cm) Seat  Suspension
48" (122cm) Frame Hung Side Discharge Fabricated Steel Mechanical Electric Centered rear roller Frame Mounted 3 3,8 - 11,0 13 / Manual Standard	48" (122cm) Frame Hung Rear Eject Fabricated Steel Mechanical Electric - Frame Mounted 3 3,8 - 11,0 13 / Manual Standard	52" (132cm) Frame Hung Side Discharge Fabricated Steel Mechanical Electric Centered rear roller Frame Mounted 3 3,8 - 11,0 13 / Manual Standard	<b>Mower</b> Cutting Width Mower Deck Mower Configuration Mower Deck Type Deck / Attachment Lift Blade Engagement Rear Rollers Mower Deck Removal Blades Cutting Height (cm) Cutting Height Positions Washout Port
187 x 148 x 105 112 296	187 x 125 x 105 112 306	187 x 167 x 105 112 329	<b>Dimensions</b> Length x Width* x Height (cm) Wheel Base (cm) Weight (kg)
Included 2 Yes Yes, in tank - 3-Year Limited	Included 2 Yes Yes, in tank Included 3-Year Limited	Included 2 Yes Yes, in tank - 3-Year Limited	<b>Features</b> Cargo Bed** Deck Support Wheels Hourmeter Fuel Gauge Mulch Kit/Plug Warranty***

# ACCESSORIES

## REGENT™ SLT110 – 2691481

## DECK 1696440

Description	Part#	Requires	Part#
Mulchkit	1696374YP		
Twin Bag Collector	1695592		
Weight Carrier, Rear	1694922SM	Weight, 33lbs, 15 kg	1691319SM
Weight, 33lbs, 15 kg	1691319SM		
Dozer Blade, 42"	1696092	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Snow Thrower, Single Stage, 42"	1696423	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Tyre Chains, 20" x 8" Tyres	1690163SM		

## REGENT™ SLT210SE – 2691683

## DECK 1697075

Description	Part#	Requires	Part#
Mulchkit with Eliminator® Blades*	1696910		
Triple Bag Collector	1695776	Turbo Fan	1695642
Turbo Fan	1695642		
Weight Carrier, Rear	1694922SM	Weight, 33lbs, 15 kg	1691319SM
Weight, 33lbs, 15 kg	1691319SM		
Wheel Weights (needs 2)	1690555SM		
Dozer Blade, 42"	1696092	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Snow Thrower, Single Stage, 42"	1696423	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Tyre Chains, 22" x 10" Tyres	1695092SM		
Notched Mulching Blades	1760646YP		

## REGENT™ SLT260 – 2691684

## DECK 1696947

Description	Part#	Requires	Part#
Mulchkit with Eliminator® Blades*	1696909		
Triple Bag Collector	1696462	Turbo Fan	1696750
Turbo Fan	1696750		
Weight Carrier, Rear	1694922SM	Weight, 33lbs, 15 kg	1691319SM
Weight, 33lbs, 15 kg	1691319SM		
Wheel Weights (needs 2)	1690555SM		
Dozer Blade, 42"	1696092	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Snow Thrower, Single Stage, 42"	1696423	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Tyre Chains, 22" x 10" Tyres	1695092SM		
Notched Mulching Blades	1760646YP		

\* Eliminator® is a registered trademark of Fisher Barton.



**REGENT™ SLT275 – 2691685****DECK 1697168**

Description	Part#	Requires	Part#
Mulch Kit Full Baffle	1696907		
Weight Carrier, Rear	1694922SM	Weight, 33lbs, 15 kg	1691319SM
Weight, 33lbs, 15 kg	1691319SM		
Wheel Weights (needs 2)	1690555SM		
Dozer Blade, 42"	1696092	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Snow Thrower, Single Stage, 42"	1696423	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Tyre Chains, 22" x 10" Tyres	1695092SM		
Notched Mulching Blades	1760647YP		

The SZT275 does not have a collection bag (Rear Eject Deck). Notched mulching blades are included as standard.

**BROADMOOR™ SYT410 – 2691689**

Description	Part#	Requires	Part#
Mulchkit with Eliminator® Blades*	1696909		
Triple Bag Collector	1696358	Deck Boot Adapter	1696672
Turbo Fan	1696750		
Weight Carrier, Front	1694155SM	Weight, 33lbs, 15 kg	1691319SM
		Weight, 50lbs, 22 kg	1692939SM
Weight Carrier, Rear	1696323YP	Weight, 33lbs, 15 kg	1691319SM
		Weight, 50lbs, 22 kg	1692939SM
Wheel Weights, 14 kg (needs 2)	1696352YP		
Dozer Blade, 42"	1695939	Wheel Weights, 14 kg	1696352YP
		Tyre Chains	1695092SM
Tyre Chains, 22" x 10" Tyres	1695092SM		



SLT260

# ACCESSORIES

## CONQUEST™ SYT510 — 2691690

Description	Part#	Requires	Part#
Mulchkit with Eliminator® Blades*	1696398		
Triple Bag Collector	1696358	Turbo Fan Turbo Hitch Group	1696450 1696356
Weight Carrier, Rear	1696323YP	Weight, 33lbs, 15 kg Weight, 50lbs, 22 kg	1691319SM 1692939SM
Weight Carrier, Front	1694155SM	Weight, 33lbs, 15 kg Weight, 50lbs, 22 kg	1691319SM 1692939SM
Wheel Weights (needs 2)	1693160SM		
Dozer Blade, 42"	1695939	Hitch Kit Hitch Sub Frame Kit Wheel Weights Tyre Chains	1694147 1695195 1693160SM 1690095SM
Snow Thrower, Single Stage, 42"	1696425	Hitch Sub Frame Kit Weight Carrier, Rear Weight Tyre Chains	1695196 1696323YP depends on size 1690095SM
Snow Thrower, Dual Stage, 42"	1695360	Hitch Sub Frame Kit Weight Carrier, Rear Weight Tyre Chains	1695196 1696323YP depends on size 1690095SM
Tyre Chains, 23" x 10.5" Tyres	1690095SM		

## REGENT™ RD SRD210 — 2691485

Description	Part#	Requires	Part#
Rear Deflector Chute	1688033		
Tyre Chains, 22" x 10" Tyres	1695092SM		
Wheel Weights (needs 2)	1696352YP		
Mulch Kit	885644YP		

## REGENT™ RD SRD310 — 2691486

Description	Part#	Requires	Part#
Rear Deflector Chute	1688033		
Tyre Chains, 22" x 9.5" Tyres	1695092SM		
Wheel Weights (needs 2)	1696352YP		
Mulch Kit	885959YP		

## REGENT™ RD SRD360 — 2691509

Description	Part#	Requires	Part#
Rear Deflector Chute	1688033		
Tyre Chains, 22" x 9.5" Tyres	1695092SM		
Mulch Kit	885959YP		

\* Eliminator® is a registered trademark of Fisher Barton.

**COURIER™ SZT105 – 2691691**

Description	Part#	Requires	Part#
Mulch Kit	1697102		
Twin Bag Collector	1697100	Deck Boot Adapter	1697101
Cargo Bed	1696711		
Cargo Bed Rhino Grips (pair)	1687855YP		
Cargo Bed Rhino Grips with Ratchet (pair)	1687856YP		
Light Kit	1697104		

**COURIER™ SZT110 – 2691692**

Description	Part#	Requires	Part#
Mulch Kit	1696374YP		
Twin Bag Collector	1696673		
Cargo Bed	1696711		
Cargo Bed Rhino Grips (pair)	1687855YP		
Cargo Bed Rhino Grips with Ratchet (pair)	1687856YP		
Light Kit	1697104		

**COURIER™ SZT150 – 2691693**

Description	Part#	Requires	Part#
Mulch Kit with Eliminator® Blades*	1696910		
Twin Bag Collector	1696673	Deck Adaptor Kit	1696671
Cargo Bed	1696711		
Cargo Bed Rhino Grips (pair)	1687855YP		
Cargo Bed Rhino Grips with Ratchet (pair)	1687856YP		
Notched Mulching Blades	1760646YP		
Light Kit	1697104		

**COURIER™ SZT250 – 2691694**

Description	Part#	Requires	Part#
Mulch Kit with Eliminator® Blades*	1696909		
Twin Bag Collector	1696673	Deck Adaptor Kit	1696672
Cargo Bed Rhino Grips (pair)	1687855YP		
Cargo Bed Rhino Grips with Ratchet (pair)	1687856YP		
Notched Mulching Blades	1760646YP		
Light Kit	1697104		

**COURIER™ SZT275 – 26911695**


Description	Part#	Requires	Part#
Mulching Kit Full Baffle	1696907		
Cargo Bed Rhino Grips (pair)	1687855YP		
Cargo bed Rhino Grips with Ratchet (pair)	1687856YP		
Notched Mulching Blades	1760646YP		
Light Kit	1697104		

The SZT275 does not have a collection bag (Rear Eject Deck). Notched mulching blades are included as standard.

**COURIER™ SZT350 – 2691696**

Description	Part#	Requires	Part#
Mulch Kit with Eliminator® Blades*	1696908		
Twin Bag Collector	1696673	Turbo Fan	1696768
Cargo Bed Rhino Grips (pair)	1687855YP		
Cargo Bed Rhino Grips with Ratchet (pair)	1687856YP		
Notched Mulching Blades	1760646YP		
Light Kit	1697104		

## ACCESSORIES



Not all accessories shown in this catalogue may be available in your country.  
Please contact your dealer for further details.



Double bag collector



Triple bag collector



Mulch kit



Single stage snow thrower



Dual stage snow thrower



Wheel weights



Tyre chains



Dozer blade




Rhino Grip Set



Mulch Plug



Weight carriers front / rear



Light Kit

CONQUER  
THE CONTOURS  
OF YOUR  
LAWN.








 **Simplicity**

[www.simplicitymfg.eu](http://www.simplicitymfg.eu)

YOUR SIMPLICITY® DEALER:



 **SimplicityEurope**

**BRIGGS & STRATTON NETHERLANDS BV** PO BOX 12 6040 AA ROERMOND THE NETHERLANDS tel: +31 (0)475 408 383 fax: +31 (0)475 408 384

BRIGGS & STRATTON CORPORATION. COPYRIGHT © 2020.  
WE RESERVE THE RIGHT TO DISCONTINUE MODELS OR CHANGE SPECIFICATIONS WITHOUT NOTICE. NO LIABILITY CAN BE ACCEPTED FOR PRINTING ERRORS. 01/2020EJEN